



5601 Bridge Street, Suite 300
Fort Worth, Texas 76112
214-299-0039

Web: www.unghi-international.com

E-mail: unghisports@gmail.com

Facebook: unghi international

Unghi International was created with the sole purpose of improving aquatic and gymnastic competition. The company founders are a group of former athletes and coaches, having achieved success in various international sports at the World Championships, Pan-American, and Olympic games. They have also played an important part in the development of sports federations and international judging. They have garnered international recognition by combining sports experience with innovative thinking and integrating it into internationally renowned aquatic and gymnastic event spaces.

Eduardo Rueda is the driving force behind Unghi International team with the support of the entire Rueda family of athletes and coaches, one of the most recognized families in the aquatic disciplines, known for their achievements in swimming and diving over the last 40 years.

Our belief as a company is that sports at an international level has a dynamic that evolves daily by increasing and developing biomechanical techniques. Thus, it is essential for an athlete's development to have the most advanced equipment to help them improve each and every one of the specific movements that make up the current needs of the Sports Disciplines.

Unghi International is dedicated to identifying and sourcing specialized training equipment necessary in the construction and renovation of sports facilities for the international athlete with the endorsement of International Athletic Authorities.

The human factor is paramount in this company. Special attention is given to training and continuously developing administrative and operative personnel to provide the pinnacle of service with the quality and efficiency that our customers demand.

Sincerely,

UNGHI INTERNATIONAL LLC



UNGHI INTERNATIONAL DIVING RESUME

Unghi International, is a company dedicated to the commercialization, construction and importation of different sports products specialized on the sales of Diving equipment.

Some of the companies and institutions that have favored us with their confidence:







▪ YOUTH OLYMPIC GAMES BUENOS AIRES 2018
▪ UNIVERSITY OF RICHMOND
▪ UNIVERSITY OF ILLINOIS
▪ UNIVERSITY OF UTAH
▪ PRINCETON UNIVERSITY
▪ RENSSELAER POLYTECHNIC INSTITUTE, NY
▪ COLORADO MESA UNIVERSITY
▪ EASTERN MICHIGAN UNIVERSITY
▪ USA FORCE ACADEMY
▪ SAN DIEGO STATE UNIVERSITY
▪ XXIII CENTRAL AMERICAN AND CARIBBEAN GAMES, BARRANQUILLA 2018
▪ DIVING FEDERATION OF DIFFERENT COUNTRIES
▪ NATIONAL SPORTS COMMISSION OF MÉXICO
▪ HIGH PERFORMANCE CENTERS IN DIVING
▪ AQUATIC COMPLEXES
▪ SPECIAL SPORTS CLUBS
▪ UNIVERSITIES IN DIFFERENT COUNTRIES
▪ ACUATIC COMPLEX OF PANAMERICAN GAMES 2011 GUADALAJARA, JALISCO
▪ FINA DIVING WORLD SERIES
▪ GRAND PRIX FINA DIVING

- **Headquarters:** Dallas, Texas
- **Branches abroad:** México, City.

Unghi International






PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
SHORT STAND ONE METER TOWER	UI-0100		Short Stand One Meter Tower MAIN SUPPORT: (Does not include Fulcrum Assembly or Stand Box)	No Color	Special Bases to receive 1 m trampoline, Maxiflex B 16, Short Stand (Base and Fulcrum) Stainless steel-made boot system, patented by Unghi International. Fulcrum or system of base mobile to throw with steering wheel and roller, that is subject to the floor with an anchor of 1.5 tons capacity (patented). Rear base of trampoline with special hinges to attach trampoline Maxiflex model B by Duraflex hole anchor (patented).	Piece	\$ 2,990.00
SHORT STAND ONE METER TOWER	UI-0101		Short Stand One Meter Tower MAIN SUPPORT: (Does not include Fulcrum Assembly or Stand Box)	No Color	Special Bases to receive 1 m trampoline, Maxiflex B 16, Short Stand (Base and Fulcrum) Stainless steel-made boot system, patented by Unghi International. Fulcrum or system of base mobile to throw with steering wheel and roller, that is subject to the floor with an anchor of 1.5 tons capacity (patented). Rear base of trampoline with special hinges to attach trampoline Maxiflex model B by Duraflex hole anchor (patented).	Piece	\$ 2,990.00
SHORT STAND ONE METER TOWER	UI-0103		Short Stand One Meter Tower MAIN SUPPORT: (Does not include Fulcrum Assembly or Stand Box)	No Color	Special Bases to receive 1 m trampoline, Maxiflex B 16, Short Stand (Base and Fulcrum) Stainless steel-made boot system, patented by Unghi International. Fulcrum or system of base mobile to throw with steering wheel and roller, that is subject to the floor with an anchor of 1.5 tons capacity (patented). Rear base of trampoline with special hinges to attach trampoline Maxiflex model B by Duraflex hole anchor (patented).	Piece	\$ 2,990.00
SOMERSAULT CHAIR	UI-0172		Somersault chair	No Color	Structural steel turntable with swivel steering wheel and special seat adaptations to receive a diver, covered with polyfoam mattress and heavy duty canvas as well as special safety belts for diving.	Piece	\$ 2,895.00
SURFACES FOR PLATFORM AND TOWER	UI-0154		Rubber (6 mm)	Red, green, grey and blue	This material is recommended for platforms, transit areas in the pool and in wet areas or in areas that are in constant contact with water. - It is completely anti-slip or non-slip, and it is a material of rough use. -Also used as a material for track and field surfaces, it is recommended by FINA for international events such as Olympic Games and World Championships. -It is quoted per square foot. -If you need advice for the proper installation please do not hesitate in contacting us. (Minimum order of 65 square meter)	Square foot	\$ 5.95
SURFACES FOR PLATFORM AND TOWER	UI-0155		Rubber (8 mm)	Red, green, grey and blue	This material is recommended for platforms, transit areas in the pool and in wet areas or in areas that are in constant contact with water. - It is completely anti-slip or non-slip, and it is a material of rough use. -Also used as a material for track and field surfaces, it is recommended by FINA for international events such as Olympic Games and World Championships. -It is quoted per square foot. -If you need advice for the proper installation please do not hesitate in contacting us. (Minimum order of 65 square meter)	Square foot	\$ 7.80









PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
SURFACES FOR PLATFORM AND TOWER	UI-0156		Rubber (13 mm)	Red, green, grey and blue	<p>This material is recommended for platforms, transit areas in the pool and in wet areas or in areas that are in constant contact with water.</p> <p>- It is completely anti-slip or non-slip, and it is a material of rough use.</p> <p>-Also used as a material for track and field surfaces, it is recommended by FINA for international events such as Olympic Games and World Championships.</p> <p>-It is quoted per square foot.</p> <p>-If you need advice for the proper installation please do not hesitate in contacting us.</p> <p>(Minimum order of 65 square meter)</p>	Square foot	\$ 9.70
SURFACES FOR PLATFORM AND TOWER	UI-0157		Surface Platform Square meter	Black	<p>Unghi International has been a provider of this non-slip rough top material for over 15 years, to the world's best dive and gyms facilities, giving the divers the confidence of a good grip at the moment of diving.</p> <p>-If you need advice for the proper installation you can contact us and we direct you with our specialist.</p> <p>-The price for this product is per square meter</p> <p>- We recommend 2 types of measures (One square meter) since these are the standard measures for a proper installation in the platform's surface or in the areas where you wanted to be placed.</p> <p>-If you require a different measure, please do not hesitate in contact us.</p> <p>(Minimum order of 65 square meter)</p>	Linear foot	\$ 23.50
MATS	UI-0125		Mats	Blue, red, beige, green, grey and black	<p>High resilience and density foam cushion on dry trampolines includes special fabric (if enclosed) or vinyl (in case of being open) and high strength closure with measures of 2mx1mx10cm, 7ftx3ftx4in - (Our experience tells us that the correct dimensions are necessary for a better performance) - All our mattresses and materials have been used by the best divers in the world, world champions, Olympic champions and in different gyms or pools where we have use our equipment, has always beeing a great acceptance by the divers and their coaches.</p>	Piece	\$ 240.00
MATS	UI-0126		Mats	Blue, red, beige, green, grey and black	<p>High resilience and density foam cushion on dry trampolines includes special fabric (if enclosed) or vinyl (in case of being open) and high strength closure with measures of 2.00mx1.00mx20cm, 7ftx4ftx8in - (Our experience tells us that the correct dimensions are necessary for a better performance) - All our mattresses and materials have been used by the best divers in the world, world champions, Olympic champions and in different gyms or pools where we have use our equipment, has always beeing a great acceptance by the divers and their coaches.</p>	Piece	\$ 335.00
MATS	UI-0127		Mats	Blue, red, beige, green, grey and black	<p>High resilience and density foam cushion on dry trampolines includes special fabric (if enclosed) or vinyl (in case of being open) and high strength closure with measures of 2.20mx1.20mx20cm, 7ftx4ftx8in - (Our experience tells us that the correct dimensions are necessary for a better performance) - All our mattresses and materials have been used by the best divers in the world, world champions, Olympic champions and in different gyms or pools where we have use our equipment, has always beeing a great acceptance by the divers and their coaches.</p>	Piece	\$ 385.00



PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
MATS	UI-0128		Mats	Blue, red, beige, green, grey and black	High resilience and density foam cushion on dry trampolines includes special fabric (if enclosed) or vinyl (in case of being open) and high strength closure with measures of 2.40mx2.00mx40cm, 8ftx7ftx16in -(Our experience tells us that the correct dimensions are necessary for a better performance) - All our mattresses and materials have been used by the best divers in the world, world champions, Olympic champions and in different gyms or pools where we have use our equipment, has always beeing a great acceptance by the divers and their coaches.	Piece	\$ 1,135.00
MATS	UI-0129		Mats	Blue, red, beige, green, grey and black	High resilience and density foam cushion on dry trampolines includes special fabric (if enclosed) or vinyl (in case of being open) and high strength closure with measures of 2.40mx2.00mx1.00m, 8ftx7ftx33in -(Our experience tells us that the correct dimensions are necessary for a better performance) - All our mattresses and materials have been used by the best divers in the world, world champions, Olympic champions and in different gyms or pools where we have use our equipment, has always beeing a great acceptance by the divers and their coaches.	Piece	\$ 2,300.00
RIGID MATS	UI-0130		Rigid mats	Blue, red, beige, green, grey and black	Rigid mats of polypropylene covered with special canvas for jumpers, exits, abdomen, lumbar and exercises of isometric force and plyometrics of 1.22mx.91cmx15.24cm, measures subject to technical request of responsible trainer. Are recommended for use as a platform and train group exercises 100, 200, 300, 400, 600 Its use is very simple for the weight and its firmness can be loaded by children or young people of 10 years without difficulty of injuries If other measures are required contact Unghi International		\$ 195.00
RIGID MATS	UI-0131		Rigid mats	Blue, red, beige, green, grey and black	Rigid mats of polypropylene covered with special canvas for jumpers, exits, abdomen, lumbar and exercises of isometric force and plyometrics of 1.22mx1.82mx15.24 cm, measures subject to technical request of responsible trainer. Are recommended for use as a platform and train group exercises 100, 200, 300, 400, 600 Its use is very simple for the weight and its firmness can be loaded by children or young people of 10 years without difficulty of injuries If other measures are required contact Unghi International		\$ 395.00
TRAMPOLINE	UI-1071-4		Complete Competition Trampoline	Blue, red and beige	FIG approved, dimension 910x305x115 cm ,4x4 mm nylon jumping bed, with safety tables, mats, and one pair lifting roller stands, double supports.118 springs	Set	\$ 12,292.00
TRAMPOLINE	UI-1071-5		Complete Competition Trampoline	Blue, red and beige	FIG approved, dimension 910x305x115 cm ,4x5 mm nylon jumping bed, with safety tables, mats, and one pair lifting roller stands, double supports.118 springs	Set	\$ 12,292.00













PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
TRAMPOLINE	UI-1151		Complete Trampoline	Blue, red and beige	Dimension: 910x305x115 cm, 6x6 mm nylon jumping bed, with safety tables, mats, and one pair lifting roller stands, double supports. 118 springs	Set	\$ 11,933.00
TRAMPOLINE	UI-1152		Competition Trampoline frame	Blue, red and beige	Dimension : 518x305x115 cm, 4x6 mm nylon jumping bed, with one pair lifting roller stands, without safety tables and mats, double supports.	Set	\$ 7,437.00
TRAMPOLINE	UI-1152-1		Competition Trampoline frame	Blue, red and beige	FIG approved, dimension : 518x305x115 cm, 4x5 mm nylon jumping bed, with one pair lifting roller stands, without safety tables and mats, double supports.	Set	\$ 7,531.00
TRAMPOLINE	UI-1152-2		Competition Trampoline	Blue, red and beige	FIG approved, dimension : 518x305x115 cm, 4x4 mm nylon jumping bed, with one pair lifting roller stands, without safety tables and mats, double supports.	Set	\$ 7,531.00
TRAMPOLINE	UI-1153-1		Safety table of trampoline	No Color	Without safety mats, Dimension : 260x176x115cm	Pair	\$ 2,233.00
TRAMPOLINE	UI-1159		Master trampoline	Blue, red and beige	457x275x97cm, 13x13mm nylon jumping bed	Set	\$ 6,394.00
TRAMPOLINE	UI-1155		Pads for frame	Blue, red and beige	Thickness 3cm	Set	\$ 1,221.00
TRAMPOLINE	UI-1156-1		Landing mats for competition trampoline	Blue, red and beige	Thickness 20cm, total area 64m²	Set	\$ 11,623.00
TRAMPOLINE	UI-1156-2		Landing mats for competition trampoline (2 trampoline combination)	Blue, red and beige	Thickness 20cm, total area 102m², the combination made of 173 x 2 x 0.2M mats.	Set	\$ 14,193.00
TRAMPOLINE	UI-1205		Inclined Safety Mats	Blue, red and beige	Dimension : 300x240x20cm	Set	\$ 2,764.00
REPLACEMENT TRAMPOLINE	UI-1072		Jumping bed	No Color	Dimension : 428x214 cm, 4x6 mm nylon jumping bed, with arch bars	Piece	\$ 2,667.00








PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
REPLACEMENT TRAMPOLINE	UI-1072-1		Jumping bed	No Color	Dimension : 428x214 cm, 4x5mm nylon jumping bed, with arch bars, FIG approved.	Piece	\$ 2,320.00
REPLACEMENT TRAMPOLINE	UI-1072-4		Jumping bed	No Color	Dimension : 428x214 cm, 13x13mm nylon jumping bed, with arch bars	Piece	\$ 1,922.00
REPLACEMENT TRAMPOLINE	UI-1073-6		Jumping bed	No Color	Dimension : 366x183cm, 6x6mm nylon jumping bed, with arch bars	Piece	\$ 1,801.00
REPLACEMENT TRAMPOLINE	UI-1073-12		Jumping bed	No Color	Dimension : 366x183cm, 13x13mm nylon jumping bed, with arch bars	Piece	\$ 1,450.00
REPLACEMENT TRAMPOLINE	UI-1158-1		jumping bed for master trampoline	No Color	13x13 mm nylon web, jumping bed 366X183cm	Piece	\$ 1,480.00
REPLACEMENT TRAMPOLINE	UI-1076		complete trampoline springs		FIG approved, 110 middle springs, dimension $\Phi 3 \times \Phi 29 \times 256\text{mm}$, 8 big springs, dimension $\Phi 4 \times \Phi 40 \times 264\text{mm}$ $\text{Æ} 3 \times \text{Æ} 29 \times 256\text{mm}$ 110pcs $\text{Æ} 4 \times \text{Æ} 40 \times 264\text{mm}$ 8pcs	Set	\$ 1,314.00
REPLACEMENT TRAMPOLINE	UI-1076-1		trampoline springs		FIG approved 0.3x2.9x25.7cm	Piece	\$ 8.00
REPLACEMENT TRAMPOLINE	UI-1076-2		trampoline springs		FIG approved 0.25x2x14.5cm	Piece	\$ 3.00
REPLACEMENT TRAMPOLINE	UI-1076-3		trampoline springs		FIG approved 0.4x4x26.4cm	Piece	\$ 9.00
TRAMPOLINE	UI-0106		Trampoline springs		Spring 0.3x2.9x25.7cm	Piece	\$ 5.40










PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
TWISTING BELTS	UI-1176-1		Twisting belts	No Color	Inner diameter: 37cm	Piece	\$ 866.00
ADJUSTABLE SPOTTING BELT	UI-1175		Adjustable spotting belt	No Color	length 112cm	Piece	\$ 147.00
ACCESSORIES SPOTTING EQUIPMENT	UI-0118		Rope Static 12 MM	No Color	<p>Number of falls (min.): 20 Elongation (50-150 kg) (%): 3.2 Used material: PA CE 1019: Yes rope diameter (mm): 12 Shrinkage (%): 1.8 Min. Tenacity with knots (kN): 25 Rope type: A EN 1891: Yes Weight (g/m): 92 Tenacity (kN): 42 NFPA 1983 2012 edition: No Relative mass of sheath (%): 35 Sheath slippage (mm): 4 Rope Static 12.00mm</p> <p>This excellent rope with low elongation and high static strength is intended primarily for work at height and for securing people above vertical drops. The thicker the diameter, the stronger the rope.</p>	10ft	\$ 11.70
ACCESSORIES SPOTTING EQUIPMENT	UI-0119		Classic static rope 12.5mm	No Color	<p>Color: White/Red Type: Max Wear MBS: 42 kN (9442 lbf) Weight: 104 g/m Diameter: 12.5 mm (1/2") Length: 200 m (656 ft) Elongation: 2.1% at 300 lbf 3.4% at 600 lbf 5.8% at 1000 lbf Elongation @ 10% MBS: 5.6% Material: Nylon Sheath/Nylon Core</p> <p>Classic static rope has been at the heart of mountaineering and caving worldwide for over 30 years. Extreme durability and substance you can rely on are what this rope is known for. Built to exacting Cordage Institute Life Safety Rope requirements, this rope features a hard-wearing 16-carrier nylon sheath and a static core design. Classic Sport rope normally features an EZ-Bend Sheath, offering a fine balance between extraordinary abrasion-resistance and good knotability. For even greater abrasion resistance, consider asking about MaxWear. Characterized by greater sheath tension, the knotability of Classic MaxWear is not anything to write home about, but for durability it simply cannot be beat.</p>	10ft	\$ 16.90
ACCESSORIES SPOTTING EQUIPMENT	UI-0120		Rope Static 13 MM	White, Red and Blue	<p>Number of falls (min.): 20 Elongation (50-150 kg) (%): 3.3 Used material: PA CE 1019: Yes rope diameter (mm): 13 Shrinkage (%): 1.8 Min. Tenacity with knots (kN): 27 Rope type: A EN 1891: Yes Weight (g/m): 109 Tenacity (kN): 42 NFPA 1983 2012 edition: No Relative mass of sheath (%): 46 Sheath slippage (mm): 0 Static 13.00 mm</p> <p>This excellent rope with low elongation and high static strength is intended primarily for work at height and for securing people above vertical drops. The thicker the diameter, the stronger the rope.</p>	10ft	\$ 14.90









PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
ACCESSORIES SPOTTING EQUIPMENT	UI-1177		Pulley for Spotting system		Include one single pulley and one double pulley, length 15cm, dimension of pulley is 3cm	Set	\$ 103.50
ACCESSORIES SPOTTING EQUIPMENT	UI-0121		Double pulley	No Color	Double pulley with mobile side plates. Up to three connectors can be hooked in the large eyelet plus one connector in the smaller eyelet. Model: Obirter T Main characteristics: made of anodized light alloy; sheaves mounted on ball bearings; presents an auxiliary attachment point for creating different hauling systems; for use with ropes $\varnothing \leq 13$ mm; designed for hauling systems and deviations.	Piece	\$ 125.00
ACCESSORIES SPOTTING EQUIPMENT	UI-0122		Single Pulley		Pulley with mobile side plates that allow the insertion of any connector. Model: Orbiter S Main characteristics: made in anodized light alloy; sheaves mounted on ball bearings; for use with ropes $\varnothing \leq 13$ mm; designed for hauling systems and deviations.	Piece	\$ 84.00
ACCESSORIES SPOTTING EQUIPMENT	UI-0123		Carabiner		The Ozone carabiner is designed for use on mounting, ascending and descending pulleys and on the securing devices. Its almost oval shape makes it easy to handle. Screw closure, Keylock, anodized. Trigger opening: 20 mm. 26 KN. CE 1019 at 362 in 12275	Piece	\$ 13.00
ACCESSORIES SPOTTING EQUIPMENT	UI-0124		Kit Spotting ring		Rope Static 12 mm (30ft) Double pulley (1 piece) Single Pulley (1 piece) Carabiner (2 piece)	Set	\$ 387.00
TRAMPOLINE	UI-0107		Structure for trampoline		Structure for trampoline Made of structural steel PTR with perimeter adaptations by hooks to insert springs with the appropriate measures 5.18m x 3.05m, these measures can be manipulated and adapted according to the customer's requirement.	Piece	\$ 2,995.00
TRAMPOLINE	UI-0108		Safety protection for trampoline		Safety protection for trampoline or for trampoline frame, made of polystyrene and special fabric cover (for outdoors) and water repellent canvas (for indoors)	Piece	\$ 1,555.00



PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
TRAMPOLINE	UI-0109		Trampoline	Red, Blue, beige, green, orange and grey	<p>In case of requiring these materials, you must have a dry pit with measures of 5mx3mx 1.70 m and the following concepts:</p> <p>Professional elastic bed for diving model 1072-4, hand-woven reinforced special canvas for special nail bedding, specially adapted for folding measures of 13mm x 13mm.</p> <p>Stainless steel springs UNGHI -Made of stainless steel, for diving trampoline, measures depending on the customer's adaptation, with grip, firmness and special elongation to receive bed or elastic canvas, recommended measures 25.7cm Length and 29mm diameter.</p> <p>Structure for trampoline model UNGHI - Made of structural steel PTR with perimeter adaptations by hooks to insert springs with the appropriate measures 5.18m x 3.05m, these measures can be manipulated and adapted according to the customer's requirement.</p> <p>To obtain prices for these products, please contact Unghi International: https://unghi-international.com/index.php/home/contact/</p>	Set	Approximate price \$6,750.00 USD, depending on the needs of the place and the customer
PORTABLE FOAM LANDING PIT	UI-0135		Portable foam landing pit	No Color	<p>Portable dry pit, made of galvanized steel with transit areas.</p> <p>Contact Unghi International to request quotation: https://unghi-international.com/index.php/home/contact/ unghisports@gmail.com</p>	Set	\$ -
FOAM CUBES FOR DRYLAND	UI-0137		Foam cubes for dryland	Red, Blue, Green, orange, grey, black, pink and white	High density foam rubber cubs model UI-0137 Special foam and resilience, specially for diving. The cub measures are 20cm x 20cm x 20cm.	Piece	\$ 2.35
FOAM LANDING PIT	UI-0133		Foam landing pit	Red, Blue, Green, orange, grey, black, pink and white	Quantity of approximate cubicoed meters to fill the Fossa 62 cubic meter.	Square meter	\$ 280.00
SAFETY PADS	UI-0144		Safety Pads	Blue, red, beige, green, grey and black	<p>Safety protection for dryland trench, model UI-0144 Measures 50cm x 50cm or according to the adaptation of the client's area, lined with polystyrene and reinforced with canvas (for indoors) or canvas water proof (for outdoors), measures of length and width according to the intended area. Contact Unghi International to request quotation: https://unghi-international.com/index.php/home/contact/unghisports@gmail.com</p>	Set	\$ -
SAFETY PADS	UI-0145		Safety Pads	Blue, red, beige, green, grey and black	<p>Safety protection for dryland trench, model UI- 0145 Measures 50cm x 50cm or according to the adaptation of the client's area, lined with polystyrene and reinforced with canvas (for indoors) or canvas water proof (for outdoors), measures of length and width according to the intended area. Contact Unghi International to request quotation: https://unghi-international.com/index.php/home/contact/unghisports@gmail.com</p>	Set	\$ -




PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
POOL SIDE PLATFORM	UI-0148		Pool Side Platform	No Color	Pool side platform, made of stainless steel and non-slip surface, measures: 2.44m x 1.22m x .10cm, .20cm, .40cm and .50cm high. -This platform can be easily remove and transport to any area of the swimming pool -It is recommended for initiation exercises and high competition.	Piece	\$ 985.00
POOL SIDE PLATFORM	UI-0149		Pool Side Platform	No Color	Pool side platform, made of stainless steel and non-slip surface, measures: 2.44m x 1.22m x .10cm, .20cm, .40cm and .50cm high. -This platform can be easily remove and transport to any area of the swimming pool -It is recommended for initiation exercises and high competition.	Piece	\$ 985.00
DRYLAND PLATFORM	UI-0150		Dry Land Platform	No Color	Dry land platform, made of reinforced PTR steel, wood base and lined with synthetic carpet, measures 2.44mx1.22x0.40cm -It is endorsed by FINA. -Recommended for dry gyms are fully movable. -Acquired for teaching exercises and pro athletes.	Piece	\$ 585.00
DRYLAND PLATFORM	UI-0151		Dry Land Platform	No Color	Pool side platform, made of stainless steel and non-slip surface, measures: 2.44m x 1.22m x .10cm, .20cm, .40cm and .50cm high. -This platform can be easily remove and transport to any area of the swimming pool -It is recommended for initiation exercises and high competition.	Piece	\$ 585.00
STALL BARS	UI-0157		Stall Bars	Blue, red and beige	1.08m x 2.40m x 10cm Stall Bar for training gym, made of high quality pine wood, polished and edged, sealed and varnished with polyurethane, finished in natural color, includes everything necessary for its proper installation.	Piece	\$ 430.00
STALL BARS	UI-0158		Stall Bars	Blue, red and beige	2.16m x 2.40m x 10cm Stall Bar for training gym, made of high quality pine wood, polished and edged, sealed and varnished with polyurethane, finished in natural color, includes everything necessary for its proper installation.	Piece	\$ 865.00
STALL BARS PADS	UI-0161		Stall Bars Pads	Blue, red and beige	Stall bar pads for abdomen and lumbar of 1.20m height x 50cm wide x 3cm thick, with special hooks for hitch, foam covers for protection and special vinyl of high resistance, brand Unghi-international	Piece	\$ 90.00
STALL BARS PADS	UI-0163		Stall Bars Pads	Blue, red and beige	Stall bar pads for abdomen and lumbar of 1.80m height x 50cm wide x3cm, with special hooks for hitch, foam covers for protection and special vinyl of high resistance, brand Unghi-International	Piece	\$ 93.00








PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
PODIUM	UI-1017-1		Gymnastics Training Podium	Blue, red and beige	Acrobatics podium of 12.20 m x 12.20 m, includes floor Springs polystyrene sheet, laminated wood, heavy duty carpet. Practical and technical uses: apparatus for acrobatics. It improves and exercises coordination, speed, strength, power, and biomechanics. Suitable for beginners, intermediate and advanced teaching, as well as for high performance.	Set	\$ 33,106.00
PODIUM	UI-0167		Special aerobic air floor		Special aerobic air floor with dimensions of 12mx12mx0.20m, the thickness of the fabric is 0.8 mm in high tensile PVC, the product by technology pressure is attached to an ultrasonic membrane, which can be adjusted depending on the weight and strength of the flat surface and the weight and quantity of the athletes, includes an air pump from 500w.	Set	\$ 10,188.00
MIMITRAMP	UI-1079		Standard Mini-tramp	Blue, red and beige	frame 126x126 cm, Jumping bed 70x70 cm, 6x6mm nylon web bed Frame Pads, 40 springs	Piece	\$ 767.00
MIMITRAMP	UI-1079-1		Inclined trampoline	Blue, red and beige	frame 126x126cm, jumping bed 70x70cm, 6x6mm nylon web bed, 40 springs	Piece	\$ 884.00
MIMITRAMP	UI-1079-2		open-end-mini-tramp	Blue, red and beige	frame 120x120cm, Jumping bed 70x56 cm, 13x13 mm nylon web, 32 springs	Piece	\$ 767.00
MIMITRAMP	UI-1095		Open-End-Mini-tramp	Blue, red and beige	6x6mm nylon jumping bed, frame pads, Length: 140cm, Width: 130cm, Net: 90x64 cm, Height adjustable between 40 and 60cm, 28 springs, foldable	Piece	\$ 859.00
MIMITRAMP	UI-1096		Double Mini-tramp with roller	Blue, red and beige	FIG approved, Competition standard Jumping bed 285 x 92 cm, frame 340x 190 x (70+45)cm, roller	Piece	\$ 4,029.00
MIMITRAMP	UI-1145		Jumping bed		Dimension : 70x70 cm, 6x6mm nylon jumping bed	Piece	\$ 118.00
MIMITRAMP	UI-1150		jumping bed for Open-End-Mini-tramp		6x6 mm nylon web, jumping bed 97x69cm	Piece	\$ 163.00
MIMITRAMP	UI-1150-1		jumping bed for Open-End-Mini-tramp		13x13 mm nylon web, jumping bed 70x56cm	Piece	\$ 76.00










PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
MIMITRAMP	UI-1152-4-P		jumping bed for Open-End-Mini-tramp		6x6 mm nylon web, jumping bed 70x60cm	Piece	\$ 102.00
MIMITRAMP	UI-1163		jumping bed for Open-End-Mini-tramp		Net 70x60 cm, 13x13mm nylon web bed	Piece	\$ 304.00
MIMITRAMP	UI-1158		jumping bed for double mini tramp		13x13 mm nylon web, jumping bed 285x92cm	Piece	\$ 414.00
SPRINGBOARD REMANUFACTURED DURAFLEX AND SHORT STAND ONE METER TOWER	UI-1011		Refinish and remanufactured of springboard	sin color	<p>We replace the non-slip surface on your dive table.</p> <p>UNGHI INTERNATIONAL is a company with more than 20 years of experience in this type of work</p> <p>In order for UNGHI INTERNATIONAL to carry out the resumption of its trampoline and to order the necessary support:</p> <p>Examine your table for cracks: Examine the lower sides closely in the fulcrum area. If there is a fault or a crack if an International UNGHI should be indicated the approximate location and the measurement.</p> <p>The remanufacturing of the table or the type is under a process that implies the elimination of all the painting and the corrosion. We then re-inspect the article for cracks, excessive corrosion damage, before sending the trampoline or structure to our paint line for a new finish. Then install new rubber channels.</p> <p>UNGHI INTERNATIONAL will not do any work with the following issues:</p> <p>Slots, cracks in the ribs or the surface of the trampoline.</p> <p>Excessive corrosion or some kind of desperation or blow anywhere on the board.</p> <p>Structural damage to your facility, operation or any other reason.</p> <p>Some previous inappropriate treatment and use of excessive material applied to the board with paint of any kind.</p> <p>In case the trampoline or the type of support needed extra material such as gums, bolts, screws or other spare parts are quoted separately each.</p> <p>All shipping costs or cargo movements</p> <p>The transit time is about 5-9 business days each way, to and from South Texas. The times of the work is 4 to 6 weeks, not counting the times of the freight transfers.</p> <p>It is important to note that this work of reviewing your team is suitable for consolidations but it is not the responsibility of UNGHI INTERNATIONAL if your teams can not be suitable for competitions endorsed by FINA or another body that requires its certification for being remanufactured.</p>	Piece	\$ 1,250.00
SPRINGBOARD REMANUFACTURED DURAFLEX AND SHORT STAND ONE METER TOWER	UI-1013		Refinish and remanufactured of short stand	No Color	<p>We replace the non-slip surface on your dive table.</p> <p>UNGHI INTERNATIONAL is a company with more than 20 years of experience in this type of work</p> <p>In order for UNGHI INTERNATIONAL to carry out the resumption of its trampoline and to order the necessary support:</p> <p>Examine your table for cracks: Examine the lower sides closely in the fulcrum area. If there is a fault or a crack if an International UNGHI should be indicated the approximate location and the measurement.</p> <p>The remanufacturing of the table or the type is under a process that implies the elimination of all the painting and the corrosion. We then re-inspect the article for cracks, excessive corrosion damage, before sending the trampoline or structure to our paint line for a new finish. Then install new rubber channels.</p> <p>UNGHI INTERNATIONAL will not do any work with the following issues:</p> <p>Slots, cracks in the ribs or the surface of the trampoline.</p> <p>Excessive corrosion or some kind of desperation or blow anywhere on the board.</p> <p>Structural damage to your facility, operation or any other reason.</p> <p>Some previous inappropriate treatment and use of excessive material applied to the board with paint of any kind.</p> <p>In case the trampoline or the type of support needed extra material such as gums, bolts, screws or other spare parts are quoted separately each.</p> <p>All shipping costs or cargo movements</p> <p>The transit time is about 5-9 business days each way, to and from South Texas. The times of the work is 4 to 6 weeks, not counting the times of the freight transfers.</p> <p>It is important to note that this work of reviewing your team is suitable for consolidations but it is not the responsibility of UNGHI INTERNATIONAL if your teams can not be suitable for competitions endorsed by FINA or another body that requires its certification for being remanufactured.</p>	Piece	\$ 1,250.00








PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
SPRINGBOARD REMANUFACTURE D DURAFLEX AND SHORT STAND ONE METER TOWER	UI-1016		Refinish and remanufactured of short stand	No Color	<p>We replace the non-slip surface on your dive table.</p> <p>UNGHI INTERNATIONAL is a company with more than 20 years of experience in this type of work.</p> <p>In order for UNGHI INTERNATIONAL to carry out the resumption of its trampoline and to order the necessary support:</p> <p>Examine your table for cracks; Examine the lower sides closely in the fulcrum area. If there is a fault or a crack if an International UNGHI should be indicated the approximate location and the measurement.</p> <p>The remanufacturing of the table or the type is under a process that implies the elimination of all the painting and the corrosion. We then re-inspect the article for cracks, excessive corrosion damage, before sending the trampoline or structure to our paint line for a new finish. Then install new rubber channels.</p> <p>UNGHI INTERNATIONAL will not do any work with the following issues:</p> <p>Slats, cracks in the ribs or the surface of the trampoline.</p> <p>Excessive corrosion or some kind of desperation or blow anywhere on the board.</p> <p>Structural damage to your facility, operation or any other reason.</p> <p>Some previous inappropriate treatment and use of excessive material applied to the board with paint of any kind.</p> <p>In case the trampoline or the type of support needed extra material such as gums, bolts, screws or other spare parts are quoted separately each.</p> <p>All shipping costs or cargo movements</p> <p>The transit time is about 5-9 business days each way, to and from South Texas. The times of the work is 4 to 6 weeks, not counting the times of the freight transfers.</p> <p>It is important to note that this work of reviewing your team is suitable for consolidations but it is not the responsibility of UNGHI INTERNATIONAL if your teams can not be suitable for competitions endorsed by FINA or</p>	Piece	\$ 1,250.00
STRUCTURES FOR SAFETY	UI-0110		Structures for safety	No Color	<p>Contact Unghi Internacional (unghisports@gmail.com) to request quotation:</p> <p>Prices vary depending on customer need</p>	Piece	\$ -
STRUCTURES FOR SAFETY	UI-0111		Structures for safety	No Color	<p>Contact Unghi Internacional (unghisports@gmail.com) to request quotation:</p> <p>Prices vary depending on customer need</p>	Piece	\$ -
STRUCTURES FOR SAFETY	UI-0112		Structures for safety	No Color	<p>Contact Unghi Internacional (unghisports@gmail.com) to request quotation:</p> <p>Prices vary depending on customer need</p>	Piece	\$ -
STRUCTURES FOR SAFETY	UI-0113		Structures for safety	No Color	<p>Contact Unghi Internacional (unghisports@gmail.com) to request quotation:</p> <p>Prices vary depending on customer need</p>	Piece	\$ -
STRUCTURES FOR SAFETY	UI-0114		Structures for safety	No Color	<p>Contact Unghi Internacional (unghisports@gmail.com) to request quotation:</p> <p>Prices vary depending on customer need</p>	Piece	\$ -
STRUCTURES FOR SAFETY	UI-0115		Structures for safety	No Color	<p>Contact Unghi Internacional (unghisports@gmail.com) to request quotation:</p> <p>Prices vary depending on customer need</p>	Piece	\$ -



PRICE LIST DIVING PRODUCTS 2019

PRODUCT	MODEL	PHOTO	NAME	COLORS	DESCRIPTION	UNIT	PRICE IN USD
STRUCTURES FOR SAFETY	UI-0116		Structures for safety	No Color	Contact Unghi Internacional (unghisports@gmail.com) to request quotation: Prices vary depending on customer need	Piece	\$ -
JUDGES CHAIRS	UI-WLAJC01		Movable lifeguard chair	No Color	This lifeguard chair is easy for one person to move and relocate around the pool with hard rubber wheels on the front legs. Hard rubber wheels on the front legs allow for easy relocation. Available in different types and dimensions. (Minimum order of 4 pieces).	Piece	\$ 1,756.00
JUDGES CHAIRS	UI-WLAJC02		Movable lifeguard chair	No Color	This lifeguard chair is easy for one person to move and relocate around the pool with hard rubber wheels on the front legs. Hard rubber wheels on the front legs allow for easy relocation. Available in different types and dimensions. (Minimum order of 4 pieces).	Piece	\$ 1,626.00
JUDGES CHAIRS	UI-WLAJC03		Movable lifeguard chair	No Color	This lifeguard chair is easy for one person to move and relocate around the pool with hard rubber wheels on the front legs. Hard rubber wheels on the front legs allow for easy relocation. Available in different types and dimensions. (Minimum order of 4 pieces).	Piece	\$ 1,497.00
JUDGES CHAIRS	UI-WLAJC04		Movable lifeguard chair	No Color	This lifeguard chair is easy for one person to move and relocate around the pool with hard rubber wheels on the front legs. Hard rubber wheels on the front legs allow for easy relocation. Available in different types and dimensions. (Minimum order of 4 pieces).	Piece	\$ 1,861.00